

# **Construction Product Declaration**

according to the Association for Construction Product Declarations' standardised format eBVD2015

2019-03-06 08:56:53 Elittak-vägg P2

# 1. BASIC DATA

# **Document data**

ID:	Version:
C-SE556821674001-7	7
Created:	Last saved:
2019-03-06 08:55:56	2019-03-06 08:56:52
The change concerns:	
Change of measurement method	
Elittak-vägg P2	
Product name:	
Elittak-vägg P2	

Item no./ID concept

Item identity: E			
B30, B31			
Product group/Product group classification			
Product group system	Product group page		
BK04	01208		
BSAB96	KEJ.21		
BSAB96	KEJ.22		
Product description:			
Foiled particle boards for ceilings and walls			
Performance declarations:	Performance declaration number:		
Yes	DoP EN-312-P2.12_Elit		
Other information:			
Byggelit Sverige AB			
Company name:	Company registration number:		
Byggelit Sverige AB	556821-6740		
Address:	Contact:		
Email:	Telephone:		
kent.ogren@byggelit.se	0642 444 66		
VAT number:	Website:		
SE556821674001	www.byggelit.se		
GLN:	DUNS:		
Environmental certification system			
BREEAM BREEAM-SE LEED 20	09 LEED version 4 Miljöbyggnad		
References	os ELED version + ivinjobyggnad		
<b>Reference</b> Byggelit does not hold certification in environmental systems that require the	nird-party inspection.		
With regard to the environment, Byggelit has a self-monitoring programme	and an annual environmental report		
SUSTAINABILITY WORK			
Company certification			
ISO 14001			
L ISO 9001			
Other:	and another Mills and the Mill		
Byggelit does not hold certification in environmental systems that require the monitoring programme and an annual environmental report	nird-party inspection. With regard to the environment, Byggelit has a self-		
Östersundsvägen 59	Yannick Spruijt		

2.

Pol	icies and guidelines	
<b>✓</b>	to ensure compliance with the requirements	n order to address corporate social responsibility in the supply chain, including procedures
	This has been reviewed by a third party	
$\checkmark$	UN Guiding Principles on Business and Human Rights	
$\checkmark$	The eight core conventions of the ILO	
	OECD Guidelines for Multinational Enterprises	
	UN Global Compact	
	ISO 26000	
yes, which	n of the following guidelines have you adhered to or mana	agement systems have you implemented
Other	r policies/guidelines	
Maı	nagement system	
If you	ı have a corporate social responsibility management systo	em, which of the following is included in your work?
$\checkmark$	Mapping	
✓	Risk analysis	
✓	Action plan	
<b>✓</b>	Monitoring	
Susta	ainability reporting guidelines:	
DE	CLARATION OF CONTE	ENTS
	emical content	-N10
Indica	ate the chemical content for the product as a whole. In Sv	veden, the concentration must be calculated at component level according to the "once a
•	uct, always a product" principle.	le there a also affection of the graph of the
N/A	a safety data sheet for the product?	Is there a classification of the product?  N/A
	ate the Candidate List edition used (Year, month,	For composite products, the concentration of constituent substances, day):
	peen calculated on:	
		the entire construction product
The produ	ct is covered by the RoHS Directive:	Indicate the weight of the product:
No		640 kg/m3
Indica	ate the percentage of the material content declared [%]:	
100		
If the	product contains nanomaterials that are deliberately add	ed in order to achieve a certain function, indicate these below:
to lo t	the product registered in Poets? collects, points, versich	Indicate the percentage of volatile organic compounds [g/litre], applies only
เบารา	the product registered in Basta? sealants, paints, varnish	co ana auncolveo. Teo
Other	r information:	

Product and/or subcomponents

Phase	Delivery				
Component	Binder		% of product by weight	=11	
Comment	UF resin				
Component	Foil		% of product by weight	=2	
Comment	Alkorcell foil; pe				
Component	Curing agent		% of product by weight	=0.2	
Comment	Ammonium chloride				
Material	Substance	Concentration range (%)	EG/CAS/Alternative designation	Candidate List	Phase-out
	Ammonium chloride	>99	12125-02-9		
CAS	Hazard statement		Exposure		
12125-02-9	H302 - Acute Tox.	. 4			
12125-02-9	H319 - Eye Irrit. 2				
	11013 - Lye IIII. 2				
Component	Wood raw materials	3	% of product by weig	<b>ht</b> =80	
Comment	The input materials	are sawdust, dry w	ood chips and roundwood	d	
Component	UREA		% of product by weig	<b>ht</b> =0.36	
Comment Material		Substance	Concentration E	C/CAS/Alterna	ative
		Candio substa		val (%) c	lesignation
	Urea		57-13-6		
90<=x<=100					
Component	Water		% of product by weight	=5.82	
Comment					
Component	Wax		% of product by weight	=0.62	
Comment					
Material	Substance	Concentration range (%)	EG/CAS/Alternative designation	Candidate List	Phase-out
	Diethanolamine	<0.2	111-42-2		

CAS Hazard statement Exposure

111-42-2	H302 - Acute Tox.	4			
111-42-2	H315 - Skin Irrit. 2				
111-42-2	H318 - Eye Dam. 1	1			
111-42-2	H373 - STOT RE 2	2			
1303-96-4	H319 - Eye Irrit. 2				
1303-96-4	H360Fd - Repr. 1B	3			
Phase	Built-in				
Component	Binder		% of product by weight	=11	
Comment	UF resin		<b>3</b> ·		
Component	Foil		% of product by weight	=2	
Comment	Alkorcell foil; pe				
Component	Curing agent		% of product by weight	=0.2	
Comment	Ammonium chloride				
Material	Substance	Concentration range (%)	EG/CAS/Alternative designation	Candidate List	Phase-out substance
	Ammonium chloride	>99	12125-02-9		
CAS I	Hazard statement		Exposure		
<u> </u>	nazara statement		Exposure		
12125-02-9	H302 - Acute Tox.	4			
12125-02-9	H319 - Eye Irrit. 2				
Component	Wood raw materials	·	% of product by weight	=80	
Comment The inp	out materials are sawdust,	dry wood chips and re	oundwood		
Component	UREA		% of product by weight	=0.36	
Comment					
Material		Substance Candidat substance			ative designation list
	Urea		57-13-6		
		90<=x<=100			
Component	Water		% of product by weight	=5.82	
Comment					
Component					
Component	Wax		% of product by weight	=0.62	

# Comment

Material	Substance	Concentration range (%)	EG/CAS/Alternative designation	Candidate List	Phase-out substance
	Diethanolamine	<0.2	111-42-2		
	DISODIUM TETRABORATE,	D:0.2	1303-96-4		

CAS	Hazard statement	Exposure	
111-42-2	H302 - Acute Tox. 4		
111-42-2	H315 - Skin Irrit. 2		
111-42-2	H318 - Eye Dam. 1		
111-42-2	H373 - STOT RE 2		
1303-96-4	H319 - Eye Irrit. 2		
1303-96-4	H360Fd - Repr. 1B		

# 4. RAW MATERIALS

# Raw materials

Component	Material	Transport type
Wood raw material	Roundwood	Vehicle
Country of raw material extraction		City of raw material extraction
Sweden  Country of manufacture/production		Jämtland  City of manufacture/production
Sweden		Lit Jämtland
Comment		
Timber from Jämtland forests		

Component Material Transport type

Wood raw material Sawdust Vehicle

Country of raw material extraction City of raw material extraction

Sweden Jämtland

Country of manufacture/production City of manufacture/production

Sweden Lit Jämtland

Comment

Residual product from nearby sawmill

Component Material Transport type

Wood raw material Dry wood chips Vehicle

Country of raw material extraction City of raw material extraction

Sweden Jämtland

Country of manufacture/production City of manufacture/production

Sweden Lit Jämtland

Comment

Residual product from nearby sawmill

# Total recycled material in product



Does the product contain recycled material?

Material Percentage before consumer stage Weight/percentage by weight

Wood raw material 100 67.5 g

Percentage after consumer

stage

0

Comment

#### Renewable material

Indicate the percentage of renewable material in the product (short cycle, less thresticate the percentage of renewable material in the product (long cycle, more than

90

The biobased material included is a raw material tested according to ASTM test method

Is there documentation of a third-party certified system for control of origin, extraction of raw materials, manufacturing or recycling processes or similar for the raw materials (e.g. BES 6001:2008, EMS certificate, USGBC Program)? If yes, specify the system(s):

#### Wood raw



Wood raw materials



Input wood raw material is certified

What percentage is certified [%]?

	90 Which cartification system has been used (e.g. ESC CSA SELwith CoC PEEC)?					
	Which certification system has been used (e.g. FSC, CSA, SFI with CoC, PEFC)?					
	FSC Mix90% FSC Controlled wood					
	Reference number:					
	FSC-C114587  Indicate the country of harvest for the wood raw material, and that the	criteria below have been met. Country of harvesting				
	Sweden	Citiena below have been met. Country of harvesting				
	<b>✓</b>					
	Does not include wood type or origin in the CITES appendix of e	ndangered species				
	The timber has been harvested legally and certified					
5.	ENVIRONMENTAL IMPACT					
Ο.		of the product, production stage modules A1-A3				
	Has an environmental product declaration been produced for the	ne product according to EN15804 or ISO14025?				
	What product-specific rules have been applied, known as PCR:	Registration number / ID number for EPD:				
	Global warming potential (GWP100) [kg CO2-eq]:	Ozone depletion potential (ODP) [kg CFC-11 eq]:				
	Acidification potential (AP) [kg SO2-eq]:	Photochemical ozone creation potential (POCP)				
	Eutrophication potential (EP) [kg (PO4)3-eq]:	Renewable energy [MJ]:				
		2998				
	Non-renewable energy [MJ]:	a calculation has been made in the Green Guide, indicate the rating:				
	118					
	If no environmental product declaration or other life cycle analysis is a from a life cycle perspective:	vailable, describe how the environmental impact of the product is taken into account				
	Energy consumption is per M3 particle board produced.  We use residual products from the sawmill industry, (which would other	unvise he used as fuel) add 6% hinder, compress it and make hoards				
		at least 50 years, when it can be either recycled to form a new board or used as fuel.				
6.	DISTRIBUTION	Does the supplier apply the Construction Pallet Return System?				
	Distribution of finished	N/A				
	product	Does the supplier apply a returnable packaging system for the product?				
		No				
	Does the supplier take back the packaging for the product?	7. CONSTRUCTION PHASE				
	No	Construction phase				
	If yes, which packaging and system:	Does the product have special storage requirements?				
		Yes				

Specify

According to our handling instructions

Other information:

	Does the product have special requirements for surrounding construction materials?  No  Specify	Is the supplier affiliated to a manufacturer responsibility system for packaging?  Yes	
	Other information:		
8.	USE PHASE		
-	Use phase		
	Does the product require input goods for operation and maintenance?		
	No		
	Specify:		
	Specify.		
	Does the product require an energy supply for operation?		
	No		
	Specify:		
	Cating at all to a basical and dust on visa life.		
	Estimated technical product service life:		
	>50 years		
	Comment:		
	le those on anomy label according to the Francy Labelling Directive?		
	Is there an energy label according to the Energy Labelling Directive?	If yes, indicate the label (G to A, A+, A+, A++, A+++):	
	(2010/30/EU) for the product?		
	N/A		
	Other information:		
a	DEMOLITION		
<b>J</b> .	Demolition		
	Is the product prepared for disassembly (dismantling)?		
	No		
	Specify:		
	Does the product require special measures to protect health and the environment during demolition/dismantling?	vironment	
	No		
	Specify:		

Other information:

# **10. WASTE MANAGEMENT**

# **Product supplied**

Is the product supplied covered by the Regulation on producer responsibility for waste electrical and electronic equipment (2014:1075)? Is reuse possible for all or parts of the product when it becomes waste? Yes Specify: As ceiling and wall board in undamaged condition Is material recovery possible for all or parts of the product when it becomes waste? Yes Specify: As energy during incineration Is energy recovery possible for all or parts of the product when it becomes waste? Yes Specify: As energy during incineration in approved incineration plants. Does the supplier have restrictions and recommendations for reuse, material or energy recovery or disposal? No Specify: Waste code for the delivered product when it becomes waste 03 - Waste from wood processing and production of panels and furnishings, paper pulp, paper and cardboard 0301 - 01 Waste from wood processing and production of panels and furnishings: 030105 - 05 Other shavings, chips, particles, wood and veneer, and particle boards other than those specified in 03 01 04 When the product supplied becomes waste, is it classified as hazardous waste? **Built-in product** Is the built-in product classified as hazardous waste?

#### Other information

No

. INDOOR	No	Electric field
<b>ENVIRONMEN</b>	Value:	Can the product generate electric fields?
Т		No
Indoor environment	Unit:	Value: Unit:
The product is not intended for indoor u	ise	
The product emits no emissions		
Goods emissions not measured		
Does the product have a critical moisture	Measurement method:	Measurement method:
condition?		Magnetic fields
Yes		Can the product generate magnetic
If yes, specify:	Paints and	fields?
Climate class 1	varnishes	No
Noise		Value: Unit:
Can the product generate its own noise?		
Holde:		Measurement method:
The product is resistant to fungi and alg	gae when used in wetrooms	
Emissions		
The product emits the following emissions who	en used as intended:	
Type of emission:		
Formaldehyde		
Measurement point 1:		
Measurement method/standar	d:	
EN 120		

Measurement interval:

Measurement

24 hours

# Other information

Result:

Result:

<8 mg/hg dry board

Measurement

**Measurement point 2:** 

The product is bears the Nordic Swan Ecolabel, which means that its emissions are < 0.07 mg/m3 according to EN717-1.