



Construction Product Declaration 2015

according to the Association for Construction Product Declarations' standardised format
eBVD2015

2019-04-01 15:12:46 Particle board P1, P2,

1. BASIC DATA

Document data

ID:

C-SE556821674001-1

Version:

8

Created:

2019-04-01 15:10:41

Last saved:

2019-04-01 15:12:45

The change concerns:

Change of performance declaration name

Particle board P1, P2,

Product name:

Particle board P1, P2,

Item no./ID concept

Item identity: E

A13, A17, A18, A19, A22, A30

Product group/Product group classification

Product group system	Product group page
BK04	01208
BSAB96	KEJ.21
BSAB96	KEJ.2331
BSAB96	KEJ.235

Product description:

Particle board for floors, walls, ceilings and interior fittings

Performance declarations:

Yes

Performance declaration number:

DoP P1.10-22, DoP P2.08-38 E1

Other information:

Byggelit Sverige AB

Company name:

Byggelit Sverige AB

Company registration number:

556821-6740

Address:

Contact:

Östersundsvägen 59
Email:
kent.ogren@byggelit.se
VAT number:
SE556821674001
GLN:

Kent Ögren
Telephone:
0642 44466
Website:
www.byggelit.se
DUNS:

Environmental certification system

- BREEAM BREEAM-SE LEED 2009 LEED version 4 Miljöbyggnad

References

Reference

Byggelit does not hold certification in environmental systems that require third-party inspection. With regard to the environment, Byggelit has a self-monitoring programme and an annual environmental report

2. SUSTAINABILITY WORK

Company certification

- ISO 9001 ISO 14001

Other:

Byggelit does not hold certification in environmental systems that require third-party inspection. With regard to the environment, Byggelit has a self-monitoring programme and an annual environmental report

Policies and guidelines

- The company has a code of conduct/policy/guidelines in order to address corporate social responsibility in the supply chain, including procedures to ensure compliance with the requirements
- This has been reviewed by a third party
- UN Guiding Principles on Business and Human Rights
- The eight core conventions of the ILO
- OECD Guidelines for Multinational Enterprises
- UN Global Compact
- ISO 26000

yes, which of the following guidelines have you adhered to or management systems have you implemented

Other policies/guidelines

Management system

If you have a corporate social responsibility management system, which of the following is included in your work?

- Mapping
- Risk analysis
- Action plan
- Monitoring

3. DECLARATION OF CONTENTS

Chemical content

Indicate the chemical content for the product as a whole. In Sweden, the concentration must be calculated at component level according to the "once a product, always a product" principle.

Is there a safety data sheet for the product?

N/A

Is there a classification of the product?

N/A

Indicate the Candidate List edition used (Year, month, has been calculated on:

For composite products, the concentration of constituent substances, day):

the entire construction product

The product is covered by the RoHS Directive:

No

Indicate the weight of the product:

630 kg/m³

Indicate the percentage of the material content declared [%]:

100

If the product contains nanomaterials that are deliberately added in order to achieve a certain function, indicate these below:

to Is the product registered in Basta? sealants, paints, varnishes and adhesives: Yes

Indicate the percentage of volatile organic compounds [g/litre], applies only

Other information:

Product and/or subcomponents

Phase	Delivery		
Component	Binder	% of product by weight	=11
Comment	UF resin		
Component	Curing agent	% of product by weight	=0.2
Comment	Ammonium chloride		
Material	Substance	Candidate	Concentration EC/CAS/Alternative
		Candidate substance	Phase-out interval (%)
	Ammonium chloride	>99	12125-02-9
			<input type="checkbox"/>
			<input type="checkbox"/>

CAS	Hazard statement	Exposure
12125-02-9	H302 - Acute Tox. 4	
12125-02-9	H319 - Eye Irrit. 2	
Component	Wood raw materials	% of product by weight =82
Comment	The input materials are sawdust, dry wood chips and roundwood	
Component	Urea	% of product by weight =0.36
Comment		

Material	Substance	Candidate substance	Concentration	EC/CAS/Alternative Phase-out interval (%)	designation	list
	Urea		57-13-6		<input type="checkbox"/>	<input type="checkbox"/>
90<=x<=100						

Component	Water	% of product by weight	=5.82
------------------	-------	-------------------------------	-------

Comment

Component	Wax	% of product by weight	=0.62
------------------	-----	-------------------------------	-------

Comment

Material	Substance	Concentration range (%)	EG/CAS/Alternative designation	Candidate List	Phase-out substance
	Diethanolamine	<0.2	111-42-2	<input type="checkbox"/>	<input type="checkbox"/>
	DISODIUM TETRABORATE, D<0.2		1303-96-4	<input type="checkbox"/>	<input type="checkbox"/>

CAS	Hazard statement	Exposure
111-42-2	H302 - Acute Tox. 4	
111-42-2	H315 - Skin Irrit. 2	
111-42-2	H318 - Eye Dam. 1	
111-42-2	H373 - STOT RE 2	
1303-96-4	H319 - Eye Irrit. 2	
1303-96-4	H360fd - Repr. 1B	

Phase	Built-in		
Component	Binder	% of product by weight	=11
Comment	UF resin		
Component	Curing agent	% of product by weight	=0.2
Comment	Ammonium chloride		

Material	Substance	Candidate substance	Concentration	EC/CAS/Alternative Phase-out interval (%)	designation	list
	Ammonium chloride	>99	12125-02-9		<input type="checkbox"/>	<input type="checkbox"/>

CAS	Hazard statement	Exposure
12125-02-9	H302 - Acute Tox. 4	
12125-02-9	H319 - Eye Irrit. 2	

Component Wood raw materials % of product by weight =82

Comment The input materials are sawdust, dry wood chips and roundwood

Component Urea % of product by weight =0.36

Comment

Material	Substance	Candidate substance	Concentration EC/CAS/Alternative Phase-out interval (%)	designations	list
Urea		57-13-6		<input type="checkbox"/>	<input type="checkbox"/>
		90<=x<=100			

Component Water % of product by weight =5.82

Comment

Component Wax % of product by weight =0.62

Comment

Material	Substance	Concentration range (%)	EG/CAS/Alternative designation	Candidate List	Phase-out substance
	Diethanolamine	<0.2	111-42-2	<input type="checkbox"/>	<input type="checkbox"/>
	DISODIUM TETRABORATE, D<0.2		1303-96-4	<input type="checkbox"/>	<input type="checkbox"/>

CAS	Hazard statement	Exposure
111-42-2	H302 - Acute Tox. 4	
111-42-2	H315 - Skin Irrit. 2	
111-42-2	H318 - Eye Dam. 1	
111-42-2	H373 - STOT RE 2	
1303-96-4	H319 - Eye Irrit. 2	
1303-96-4	H360fd - Repr. 1B	

4. RAW MATERIALS

Raw materials

Component	Material	Transport type
Wood raw material	Roundwood	Vehicle
Country of raw material extraction	City of raw material extraction	
Sweden	Jämtland	

Country of manufacture/production

Sweden

City of manufacture/production

Lit Jämtland

Comment

Timber from Jämtland forests

Component

Wood raw material

Material

Sawdust

Transport type

Vehicle

Country of raw material extraction

Sweden

City of raw material extraction

Jämtland

Country of manufacture/production

Sweden

City of manufacture/production

Lit Jämtland

Comment

Residual product from nearby sawmill

Component

Wood raw material

Material

Dry wood chips

Transport type

Vehicle

Country of raw material extraction

Sweden

City of raw material extraction

Jämtland

Country of manufacture/production

Sweden

City of manufacture/production

Lit Jämtland

Comment

Residual product from nearby sawmill

Total recycled material in product

Does the product contain recycled material?

Material

Wood raw material

Weight/percentage by weight

67.5%

Percentage after consumer stage

0

Percentage before consumer stage**Comment**

100

The input materials sawdust and dry wood chips are residual products

from the sawmill industry

Renewable material

Indicate the percentage of renewable material in the product (short cycle, less than 10 years):

Indicate the percentage of renewable material in the product (long cycle, more than 10 years):

The biobased material included is a raw material tested according to ASTM test method D6866:

Is there documentation of a third-party certified system for control of origin, extraction of raw materials, manufacturing or recycling processes or similar for the raw materials (e.g. BES 6001:2008, EMS certificate, USGBC Program)? If yes, specify the system(s):

See section 3 Declaration of contents

Wood raw materials



Wood raw materials included



Input wood raw material is certified

What percentage is certified [%]?

90

Which certification system has been used (e.g. FSC, CSA, SFI with CoC, PEFC)?

FSC Mix 90%; FSC Controlled Wood

Reference number:

FSC-C114587

Indicate the country of harvest for the wood raw material, and that the criteria below have been met. Country of harvesting

Sweden



Does not include wood type or origin in the CITES appendix of endangered species



The timber has been harvested legally and certified

5. ENVIRONMENTAL IMPACT

Environmental impact during the life cycle of the product, production stage modules A1-A3 according to EN 15804



Has an environmental product declaration been produced for the product according to EN15804 or ISO14025?

What product-specific rules have been applied, known as PCR:

Registration number / ID number for EPD:

Global warming potential (GWP100) [kg CO₂-eq]:

Ozone depletion potential (ODP) [kg CFC-11 eq]:

Acidification potential (AP) [kg SO₂-eq]:

Photochemical ozone creation potential (POCP)

Eutrophication potential (EP) [kg (PO₄)₃-eq]:

Renewable energy [MJ]:

2998

Non-renewable energy [MJ]:

118

If a calculation has been made in the Green Guide, indicate the rating:

If no environmental product declaration or other life cycle analysis is available, describe how the environmental impact of the product is taken into account from a life cycle perspective:

Energy consumption is per M3 particle board produced.

We use residual products from the sawmill industry, (which would otherwise be used as fuel), add 6% binder, compress it and make boards.

The information provider bears sole responsibility for the data on products entered in the database. The information provider and 7 of 11

Byggmaterialindustrierna reserves the right to correct information that has been entered incorrectly in the database.

6. DISTRIBUTION

Distribution of finished product

Does the supplier take back the packaging for the product?

No

If yes, which packaging and system:

FTI

Other information:

Does the supplier apply the Construction Pallet Return System?

N/A

Does the supplier apply a returnable packaging system for the product?

No

Yes

Specify

According to our handling instructions

Does the product have special requirements for surrounding construction materials?

No

Specify

Is the supplier affiliated to a manufacturer responsibility system for packaging?

Yes

7. CONSTRUCTION PHASE

Construction phase

Does the product have special storage requirements?

Other information:

8. USE PHASE

Use phase

Does the product require input goods for operation and maintenance?

No

Specify:

Does the product require an energy supply for operation?

No

Specify:

Estimated technical product service life:

>50 years

Comment:

Is there an energy label according to the Energy Labelling Directive? (2010/30/EU) for the product?

If yes, indicate the label (G to A, A+, A+, A++, A+++):

N/A

Other information:

9. DEMOLITION

Demolition

Is the product prepared for disassembly (dismantling)?

No

Specify:

Does the product require special measures to protect health and the environment during demolition/dismantling?

No

Specify:

Other information:

10. WASTE MANAGEMENT

Product supplied

Is the product supplied covered by the Regulation on producer responsibility for waste electrical and electronic equipment (2014:1075)?

No

Is reuse possible for all or parts of the product when it becomes waste?

Yes

Specify:

As particle board in undamaged condition

Is material recovery possible for all or parts of the product when it becomes waste?

Yes

Specify:

The particle board can be ground into wood raw material

Is energy recovery possible for all or parts of the product when it becomes waste?

Yes

Specify:

As energy during incineration in approved incineration plants

Does the supplier have restrictions and recommendations for reuse, material or energy recovery or disposal?

No

Specify:

Waste code for the delivered product when it becomes waste

03 - Waste from wood processing and production of panels and furnishings, paper pulp, paper and cardboard

0301 - 01 Waste from wood processing and production of panels and furnishings:

030105 - 05 Other shavings, chips, particles, wood and veneer, and particle boards other than those specified in 03 01 04

When the product supplied becomes waste, is it classified as hazardous waste?

No

Built-in product

Is the built-in product classified as hazardous waste?

No

Other information

11. INDOOR ENVIRONMENT

Indoor environment

The product is not intended for indoor use

The product emits no emissions

Goods emissions not measured

Does the product have a critical moisture condition?

Yes

If yes, specify:

Climate class 1

Noise

Can the product generate its own noise?

No

Value:

Unit:

Electric field

Can the product generate electric fields?

No

Value: Unit:

Measurement method:

Measurement method:

Magnetic fields

Can the product generate magnetic fields?

No

Value: Unit:

Paints and varnishes

Measurement method:

The product is resistant to fungi and algae when used in wetrooms

Emissions

The product emits the following emissions when used as intended:

Type of emission:	
Formaldehyde	
Measurement point 1:	
Measurement method/standard:	
EN 120	
Result:	Measurement interval:
<8 mg/hg perforator value	24 hours
Measurement point 2:	
Measurement	
Result:	Measurement

Other information

Formaldehyde certificate 112004 issued by SP Certifiering