

# Tempo Underfloor heating system

**Issued to****Byggelit Sverige AB**

Östersundsvägen 59, SE-836 31 Lit, Sweden

manufacturing site

same as above

**Product and product description**

Tempo underfloor heating system with 22 mm grooved flooring grade particle board for waterborne underfloor heating and floor according to assembly instructions.

**Intended use**

Flooring system with grooved flooring grade particle board for waterborne underfloor heating in climate class 1.

**Trade name**

Tempo

**Approval**

The product has been verified against the following sections of Boverket Building Regulations (BBR) and Boverket's regulations and general advice on the application of European design standards, (EKS):

BBR

Air, General

6:21, General recommendation,  
2<sup>nd</sup> paragraphProtective devices for preventing  
people from stepping through\*

8:2433

EKS

Design assisted by testing  
Design of timber structuresSection B, EN 1990 Annex D  
Section G, EN 1995-1-1

\* The requirement is fulfilled when the grooved particle board is mounted.

**Associated documents**

"Byggelit monteringsanvisning tempo 22 - Utgåva 2023\_maj"

"Tempo Fräsmall april 2016."




## Factory production control

The factory production control (FPC) is monitored by an independent inspection body.  
Control agreement: Ref no. 210-11-0060, Inspection body: RISE.


When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this approval and associated documents.

## Marking

The product is to be marked at the factory. The marking consists of a text on every product supplied and includes:

Holder/Distributor	Byggelit Sverige AB
Manufacturing place	Lit
Product type designation	Tempo
Consecutive manufacture no./date of production	no./date
Certificate number	SC0123-16
Durability class	P6 or P7
Formaldehyde classification	E1
P-mark	 GOLVVÄRME
Certification body and Inspection body	RISE
Inspection body	namn eller varumärke

Assembly instruction shall be marked with:

Holder	Byggelit Sverige AB
P-mark	 GOLVVÄRME
Certification body and Inspection body	RISE
Certificate number	SC0123-16

## Basis for assessment/approval

Report 6P00315, F904921E and BMtP605029A from SP.  
Opinion 7P02671 from RISE. Report 1160769D and 1160769F from RISE.

## Validity

This certificate is valid until not longer than 2028-06-21. The validity of this certificate can be verified at RISE homepage. This edition of the certificate replaces previous editions.



Martin Tillander

*This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish original shall take precedence.*